

SPECIFICATIONS 8'DC and 8'HC

	LENGTH		WIDTH		HEIGHT	
	8'DC	8'HC	8'DC	8'HC	8'DC	8'HC
Outside dimensions	2438 mm	2438 mm	2200 mm	2200 mm	2260 mm	2565 mm
Inside dimensions	2275 mm	2287 mm	2106 mm	2112 mm	2050 mm	2367 mm
Internal door opening			2106 mm	2106 mm	1945 mm	2254 mm
Tare	950 kg	1000 kg				
Cubic capacity	9.95 m ³	11.40 m ³				
Payload	5050 kg	5000 kg				

SPECIFICATIONS 10'DC and 10'HC

	LENGTH		WIDTH		HEIGHT	
	10'DC	10'HC	10'DC	10'HC	10'DC	10'HC
Outside dimensions	2991 mm	2991 mm	2438 mm	2438 mm	2591 mm	2896 mm
Inside dimensions	2831 mm	2840 mm	2344 mm	2350 mm	2393 mm	2698 mm
Internal door opening			2330 mm	2342 mm	2280 mm	2585 mm
Tare	1300 kg	1350 kg				
Cubic capacity	15.95 m ³	18.00 m ³				
Payload	8900 kg	10000 kg				



ScanMarine Estonia OÜ
Tööstuse 47d-15
10416 Tallinn, Estonia

tel + 372 6 505 330
fax + 372 6 505 335
scanmarine@scanmarine.ee

☒ SCANMARINE

SPECIFICATIONS 20'DC and 20'HC

	LENGTH		WIDTH		HEIGHT	
	20'DC	20'HC	20'DC	20'HC	20'DC	20'HC
Outside dimensions	6058 mm	6058 mm	2438 mm	2438 mm	2591 mm	2896 mm
Inside dimensions	5898 mm	5898 mm	2344 mm	2344 mm	2390 mm	2695 mm
Internal door opening			2330 mm	2330 mm	2280 mm	2578 mm
Tare	2155 kg	2320 kg				
Cubic capacity	33.20 m ³	37.30 m ³				
Payload	28325 kg	28160 kg				

SPECIFICATIONS 40'DC and 40'HC

	LENGTH		WIDTH		HEIGHT	
	40'DC	40'HC	40'DC	40'HC	40'DC	40'HC
Outside dimensions	12192 mm	12192 mm	2438 mm	2438 mm	2591 mm	2896 mm
Inside dimensions	12032 mm	12032 mm	2344 mm	2352 mm	2390 mm	2698 mm
Internal door opening			2330 mm	2340 mm	2280 mm	2585 mm
Tare	3790 kg	3700 kg				
Cubic capacity	67.20 m ³	76.40 m ³				
Payload	26690 kg	28800 kg				

ScanMarine Estonia OÜ
Tööstuse 47d-15
10416 Tallinn, Estonia

tel + 372 6 505 330
fax + 372 6 505 335
scanmarine@scanmarine.ee

☒ SCANMARINE



SPECIFICATIONS

20'DC and 20'HC / Open both ends

	L E N G T H		W I D T H		H E I G H T	
	20'DC	20'HC	20'DC	20'HC	20'DC	20'HC
Outside dimensions	6058 mm	6058 mm	2438 mm	2438 mm	2591 mm	2896 mm
Inside dimensions	5844 mm	5844 mm	2352 mm	2352 mm	2393 mm	2698 mm
Internal door opening			2343 mm	2340 mm	2280 mm	2585 mm
Tare	2155 kg	2300 kg				
Cubic capacity	33.20 m ³	37.10 m ³				
Payload	28325 kg	28180 kg				

SPECIFICATIONS

40'DC and 40'HC / Open both ends

	L E N G T H		W I D T H		H E I G H T	
	40'DC	40'HC	40'DC	40'HC	40'DC	40'HC
Outside dimensions	12192 mm	12192 mm	2438 mm	2438 mm	2591 mm	2896 mm
Inside dimensions	11978 mm	11978 mm	2352 mm	2352 mm	2393 mm	2695 mm
Internal door opening			2340 mm	2340 mm	2280 mm	2585 mm
Tare	3550 kg	3700 kg				
Cubic capacity	67.40 m ³	75.90 m ³				
Payload	26930 kg	26780 kg				

ScanMarine Estonia OÜ
Tööstuse 47d-15
10416 Tallinn, Estonia

tel + 372 6 505 330
fax + 372 6 505 335
scanmarine@scanmarine.ee

☒ SCANMARINE



SPECIFICATIONS

20'DC and 20'HC / Open one end and side

	LENGTH		WIDTH		HEIGHT	
	20'DC	20'HC	20'DC	20'HC	20'DC	20'HC
Outside dimensions	6058 mm	6058 mm	2438 mm	2438 mm	2591 mm	2896 mm
Inside dimensions	5898 mm	5898 mm	2287 mm	2287 mm	2302 mm	2607 mm
End door opening			2226 mm	2226 mm	2189 mm	2494 mm
Side door opening			5846 mm	5846 mm	2189 mm	2494 mm
Tare	3170 kg	3300 kg				
Cubic capacity	31.00 m ³	35.00 m ³				
Payload	27310 kg	27180 kg				

SPECIFICATIONS

40'HC / Open one end and side

	LENGTH		WIDTH		HEIGHT	
	40'HC	40'HC	40'HC	40'HC	40'HC	40'HC
Outside dimensions	12192 mm		2438 mm		2896 mm	
Inside dimensions	12032 mm		2287 mm		2471 mm	
End door opening			2226 mm		2388 mm	
Side door opening			11556 mm		2311 mm	
Tare	6580 kg					
Cubic capacity	68.00 m ³					
Payload	23900 kg					

ScanMarine Estonia OÜ
Tööstuse 47d-15
10416 Tallinn, Estonia

tel + 372 6 505 330
fax + 372 6 505 335
scanmarine@scanmarine.ee

